


The new mid mount carrier arm GT-Z




For the highest demands in the tightest of spaces

Slim-fit!

For maximum maneuverability and optimum undervine-care

Maintenance-free!

Hydraulic width adjustment mounted on Teflon, cylinder integrated into the frame - all completely maintenancefree



Floating position!

Freely movable carrier arm for perfect adjustment of the attachments to the ground contours

Quick hitch system!

Fast changing between attachments thanks to the quick hitch system

Attachments for mechanical weed control



Undervine/-tree line mower FR-EVO



Sweeper RB-80

More attachments coming soon!



Hydraulic width adjustment


of 45 cm
Additionally mechanically limitable
(1x DA)



Hydraulically foldable

Tilt joint
-5° to +60°
(1x SA)

Ultra compact



Compact dimensions:
from attachment plate 47 cm
Hole pattern 30 cm

Weight
48 kg

folded up, the tool carrier arm
disappears completely
behind the tyre



External width centre of tractor:
(folded up / extended)

with line mower FR-EVO
105 cm / 200 cm


For row spacing from 2,70 m




External width centre of tractor
(folded up / extended)

with sweeper RB-80
110 cm / 180 cm

For row spacing from 2,70 m



**Hydraulic tilt joint
for adjustable inclination
of the working angle $\pm 20^\circ$**



**Right attachment plate compatible with
Fendt Vario Gen2 and Gen3!**

**Attachment plates for further tractor models
available soon!**

